

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).
Date of Issue: 01/17/2022 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Synonyms: Great Stuff Heavy Duty Bamboo Work Wipes 35pk Canister, Great Stuff Heavy Duty Bamboo Work Wipes 30 pk, Great Stuff Heavy Duty Bamboo Work Wipes 30 pk Shelf Ready, Great Stuff Heavy Duty Bamboo Work Wipes 35pk, Great Stuff Heavy Duty Bamboo Work Wipes 35pk Shelf Ready, Great Stuff Heavy Duty Bamboo Work Wipes 40pk, Great Stuff Heavy Duty Bamboo Work Wipes 45pk Shelf Ready, Great Stuff Heavy Duty Bamboo Work Wipes 55 pk, Great Stuff Heavy Duty Bamboo Work Wipes 55 pk Shelf Ready

1.2. Intended Use of the Product

CLEANING WIPES

1.3. Name, Address, and Telephone of the Responsible Party

Supplier

Lentus, LLC

400 Ring Road, Suite 101

Elizabethtown, KY 42702

+1-855-264-9021

LentusLLC.com / www.greatstuff.com

1.4. Emergency Telephone Number

For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Aquatic Acute 2 H401

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Statements (GHS-US/CA) : H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US/CA) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Water	AQUA / water	(CAS-No.) 7732-18-5	≤ 100	Not classified
Alcohols, C12-14, ethoxylated	C12-14 Pareth-3 / Surfonic L24-7 / C12-14 PARETH-3 / Alcohols, C12-14 (even numbered), ethoxylated / C12-14 PARETH-12 / Sintanol ALM-7 / Syntanol ALM-7 / Imbentin AG 124S / C12-14 Pareth-9 / C12-14 Pareth-7 / C12-14 Pareth-5 / C12-14 Pareth-12 /	(CAS-No.) 68439-50-9	0.8	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	C12-14 Pareth / Ethoxylated alcohols(C12-14) / Ethoxylated alcohols (C12-14) / C12-14 PARETH-11 / C12-14 PARETH-5 / C12-14 PARETH-7 / C12-14 PARETH-9			
1,2,3-Propanetriol	Glycerin / Glycerine / Glycerol / 1,2,3-Trihydroxypropane / GLYCERIN / Propane-1,2,3-triol	(CAS-No.) 56-81-5	0.5	Not classified
Polyoxyethylene sorbitan monolaurate	Polysorbate 20 / Sorbitan monolaurate, ethoxylated / Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivatives / Polyoxyethylene (20) sorbitan monolaurate / PEG-10 SORBITAN LAURATE / PEG sorbitan laurate / Ethoxylated sorbitan monolaurate / Polyethylene glycol sorbitan monolaurate / PEG-40 sorbitan laurate / PEG-75 sorbitan laurate / PEG-44 sorbitan laurate / PEG-80 sorbitan laurate / Polysorbate 21 / PEG-10 sorbitan laurate / Sorbitan monolaurate, ethoxylate	(CAS-No.) 9005-64-5	0.4	Not classified
Decyl .beta.-D-glucopyranoside	.beta.-D-Glucopyranoside, decyl / Decyl glucoside / n-Decyl glucoside / decyl glucoside	(CAS-No.) 58846-77-8	0.4	Not classified
2-Phenoxyethanol	Ethylene glycol monophenyl ether / Ethanol, 2-phenoxy- / Ethylene glycol phenyl ether / PHENOXYETHANOL / Phenoxyethanol, 2- / Phenyl Cellosolve / 2-Hydroxyethyl phenyl ether / Phenoxyethanol / Monophenyl ether of ethylene glycol	(CAS-No.) 122-99-6	0.3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Lanolin, ethoxylated	Ethoxylated lanolin / Ethylene oxide, lanolin adduct / PEG-10 LANOLIN / PEG-20 lanolin adduct / PEG-100 LANOLIN / PEG-5 lanolin / Polyoxyethylene lanolin / PEG-N lanolin / PEG-10 lanolin / PEG-40 lanolin / PEG-60 lanolin / PEG-30 lanolin / PEG-85 lanolin / PEG-75 lanolin / PEG-50 lanolin / PEG-150 lanolin / PEG-100 lanolin / PEG-70 lanolin / PEG-55 lanolin / PEG-35 lanolin / PEG-27 lanolin / PEG-25 lanolin	(CAS-No.) 61790-81-6	0.2	Not classified
Triethanolamine	Ethanol, 2,2',2''-nitrilotri- / Ethanol, 2,2',2''-nitrilotris- / 2,2',2''-Nitrilotriethanol / TEA / Tris(2-hydroxyethyl)amine / TRIETHANOLAMINE / Tris(hydroxyethyl)amine / Trolamine / Tri(2-hydroxyethyl)amine	(CAS-No.) 102-71-6	0.2	Not classified
Aloe vera, extract	Oils, aloe vera / Aloe / Aloe vera extract / Aloe extract / ALOE VERA EXTRACT / Aloe vera, extract / Aloe vera,	(CAS-No.) 85507-69-3	0.2	Not classified

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	extract (Extractives and their physically modified derivatives such as tinctures, concretes, absolutes, essential oils, oleoresins, terpenes, terpene-free fractions, distillates, residues, etc., obtained from Aloe vera, Liliaceae.) / ALOE VERA CALLUS EXTRACT / ALOE VERA LEAF EXTRACT			
Didecyldimethylammonium chloride	Ammonium chloride, N,N-didecyl-N,N-dimethyl- / Ammonium, didecyldimethyl-, chloride / 1-Decanaminium, N-decyl-N,N-dimethyl-, chloride / 1-Decanaminium, N-decyl-N,N-dimethyl-, chloride (1:1) / DIDECYLDIMONIUM CHLORIDE / DDAC / Didecyldimethylaminium chloride / Didecyldimonium chloride / Didecyl(dimethyl)ammonium chloride / didecyldimonium chloride / Didecyl dimethyl ammonium chloride	(CAS-No.) 7173-51-5	0.1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Quaternary ammonium compounds, alkylbenzyl dimethyl, chlorides	Ammonium, alkyl dimethylbenzyl-, chloride / Benzalkonium chloride / BENZALKONIUM CHLORIDE / Alkyl dimethylbenzyl ammonium chloride / N-Alkyl dimethylbenzyl ammonium chloride / Alkyl benzyl dimethyl ammonium chloride / n-Alkyl dimethylbenzyl ammonium chloride	(CAS-No.) 8001-54-5	0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium lauryl sulfate (Surfactant)	Dodecyl sodium sulfate / Dodecyl sulfate, sodium salt / Sodium dodecyl sulfate / Sodium dodecyl sulphate / Sodium lauryl sulphate / Sodium monododecyl sulfate / Sodium monolauryl sulfate / Sodium n-dodecyl sulfate / Sulfuric acid, monododecyl ester, sodium salt / Dodecyl sodium sulphate / Sulfuric acid monododecyl ester sodium salt (1:1) / Carsonol SLS special / SODIUM LAURYL SULFATE / Dodecyl sulphuric acid, sodium salt / Dodecyl sulphate sodium / Sodium dodecan-1-yl sulfate	(CAS-No.) 151-21-3	0.1	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 Comb. Dust
Trisodium citrate dihydrate	1,2,3-Propanetricarboxylic acid, 2-hydroxy-, trisodium salt, dihydrate / Citric acid, trisodium salt, dihydrate / 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, sodium salt, hydrate (1:3:2) / Sodium citrate, dihydrate / Trisodium 2-hydroxypropane-1,2,3-tricarboxylate dihydrate / Sodium citrate dihydrate /	(CAS-No.) 6132-04-3	0.1	Comb. Dust

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	Trisodium citrate / risodium 2-hydroxypropane-1,2,3-tricarboxylate dihydrate / trisodium citrate dihydrate			
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, acetate	Acetate, .alpha.-tocopheryl / 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate / 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl acetate / Tocopherol acetate / Tocopheryl acetate / dl-.alpha.-Tocopheryl acetate / TOCOPHERYL ACETATE / 2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, 6-acetate / .alpha.-Tocopherol acetate / DL-.alpha.-Tocopheryl acetate / Vitamin E acetate / 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyl)-2H-1-benzopyran-6-yl acetate	(CAS-No.) 7695-91-2	0.1	Not classified
Disodium EDTA	Acetic acid, (ethylenedinitrilo)tetra-, disodium salt / Disodium dihydrogen ethylenediaminetetraacetate / Disodium edetate / Disodium ethylenediaminetetraacetate / Disodium sequestrene / Disodium versenate / Edetate disodium / EDTA, disodium / Endrate disodium / Ethylenediaminetetraacetate, disodium / Ethylenediaminetetraacetate, disodium salt / Ethylenediaminetetraacetic acid, disodium salt / Sequestrene sodium 2 / Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, disodium salt / EDTA disodium salt	(CAS-No.) 139-33-3	0.1	Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides. Chlorides. Sulfur oxides. Nitrogen oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

7.3. Specific End Use(s)

CLEANING WIPES

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

1,2,3-Propanetriol (56-81-5)		
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (mist, total particulate) 5 mg/m ³ (mist, respirable fraction)
Alberta	OEL TWA	10 mg/m ³ (mist)
British Columbia	OEL TWA	10 mg/m ³ (mist, total) 3 mg/m ³ (mist-respirable)
New Brunswick	OEL TWA	10 mg/m ³ (mist)
Nunavut	OEL STEL	20 mg/m ³ (mist)
Nunavut	OEL TWA	10 mg/m ³ (mist)
Northwest Territories	OEL STEL	20 mg/m ³ (mist)
Northwest Territories	OEL TWA	10 mg/m ³ (mist)
Québec	VEMP (OEL TWA)	10 mg/m ³ (mist)
Saskatchewan	OEL STEL	20 mg/m ³ (mist)
Saskatchewan	OEL TWA	10 mg/m ³ (mist)
Yukon	OEL TWA	30 mppcf (mist) 10 mg/m ³ (mist)
Triethanolamine (102-71-6)		
USA ACGIH	ACGIH OEL TWA	5 mg/m ³
Alberta	OEL TWA	5 mg/m ³
British Columbia	OEL TWA	5 mg/m ³
Manitoba	OEL TWA	5 mg/m ³
New Brunswick	OEL TWA	5 mg/m ³
Newfoundland & Labrador	OEL TWA	5 mg/m ³
Nova Scotia	OEL TWA	5 mg/m ³
Nunavut	OEL STEL	10 mg/m ³
Nunavut	OEL TWA	5 mg/m ³
Northwest Territories	OEL STEL	10 mg/m ³
Northwest Territories	OEL TWA	5 mg/m ³
Ontario	OEL TWA	3.1 mg/m ³
Ontario	OEL TWA [ppm]	0.5 ppm
Prince Edward Island	OEL TWA	5 mg/m ³
Québec	VEMP (OEL TWA)	5 mg/m ³
Saskatchewan	OEL STEL	10 mg/m ³
Saskatchewan	OEL TWA	5 mg/m ³
2-Phenoxyethanol (122-99-6)		
Ontario	OEL TWA	141 mg/m ³
Ontario	OEL TWA [ppm]	25 ppm

8.2. Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White/Pre-moistened wipe
Odor	: None
Odor Threshold	: No data available
pH	: 4.5 – 6
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: 210 °F Tested using the liquid component of the towelette (98.89 °C)
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: 1 g/mL tested using the liquid component of the towelette
Solubility	: Liquid component is soluble in water
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products:

Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Not classified

pH: 4.5 – 6

Eye Damage/Irritation: Not classified

pH: 4.5 – 6

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Polyoxyethylene sorbitan monolaurate (9005-64-5)	
LD50 Oral Rat	> 18000 mg/kg
LC50 Inhalation Rat	> 5.1 mg/l/4h
Didecyldimethylammonium chloride (7173-51-5)	
LD50 Oral Rat	238 mg/kg
LD50 Dermal Rat	2001 mg/kg
Quaternary ammonium compounds, alkylbenzyltrimethyl, chlorides (8001-54-5)	
LD50 Oral Rat	304.5 mg/kg
LD50 Dermal Rat	1420 mg/kg
1,2,3-Propanetriol (56-81-5)	
LD50 Oral Rat	12600 mg/kg
LD50 Dermal Rabbit	> 10 g/kg
Triethanolamine (102-71-6)	
LD50 Oral Rat	6400 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
Sodium lauryl sulfate (151-21-3)	
LD50 Oral Rat	500 – 2000 mg/kg OECD Guideline 401
LD50 Dermal Rabbit	> 2000 mg/kg
2-Phenoxyethanol (122-99-6)	
LD50 Oral Rat	1850 mg/kg
LD50 Dermal Rabbit	5 ml/kg
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, acetate (7695-91-2)	
LD50 Dermal Rat	> 3000 mg/kg (no deaths)
Disodium EDTA (139-33-3)	
LD50 Oral Rat	3.7 g/kg
Triethanolamine (102-71-6)	
IARC Group	3
Aloe vera, extract (85507-69-3)	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Toxic to aquatic life.

Alcohols, C12-14, ethoxylated (68439-50-9)	
LC50 Fish 1	0.876 mg/l (Species: Danio rerio)
EC50 - Crustacea [1]	0.53 mg/l (Species: Daphnia magna)
Didecyldimethylammonium chloride (7173-51-5)	
LC50 Fish 1	0.97 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
EC50 - Crustacea [1]	0.034 mg/l
NOEC Chronic Crustacea	0.021 mg/l
Quaternary ammonium compounds, alkylbenzyltrimethyl, chlorides (8001-54-5)	
LC50 Fish 1	0.223 – 0.46 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	0.036 mg/l
LC50 Fish 2	0.823 – 1.61 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
1,2,3-Propanetriol (56-81-5)	
LC50 Fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Triethanolamine (102-71-6)	
LC50 Fish 1	10600 (10600 – 13000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	1386 mg/l
LC50 Fish 2	1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
ErC50 algae	169 mg/l
NOEC Chronic Crustacea	16 mg/l
Sodium lauryl sulfate (151-21-3)	
LC50 Fish 1	10 – 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 Fish 2	(Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC Chronic Crustacea	0.88 mg/l
2-Phenoxyethanol (122-99-6)	
LC50 Fish 1	344 mg/l
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, acetate (7695-91-2)	
LC50 Fish 1	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Disodium EDTA (139-33-3)	
LC50 Fish 1	320 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])

12.2. Persistence and Degradability

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES	
Bioaccumulative Potential	Not established.
1,2,3-Propanetriol (56-81-5)	
BCF Fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.76
Triethanolamine (102-71-6)	
BCF Fish 1	3.9
Partition coefficient n-octanol/water (Log Pow)	-2.53

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Sodium lauryl sulfate (151-21-3)	
BCF Fish 1	(will not bioconcentrate)
Partition coefficient n-octanol/water (Log Pow)	1.6
2-Phenoxyethanol (122-99-6)	
Partition coefficient n-octanol/water (Log Pow)	1.13 (at 25 °C)

12.4. Mobility in Soil

No additional information available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

14.4. In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Alcohols, C12-14, ethoxylated (68439-50-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Polyoxyethylene sorbitan monolaurate (9005-64-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Didecyldimethylammonium chloride (7173-51-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
1,2,3-Propanetriol (56-81-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Lanolin, ethoxylated (61790-81-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Triethanolamine (102-71-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Sodium lauryl sulfate (151-21-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
2-Phenoxyethanol (122-99-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, acetate (7695-91-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Disodium EDTA (139-33-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
15.2. US State Regulations
GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES()
State or local regulations
1,2,3-Propanetriol (56-81-5)
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List
Triethanolamine (102-71-6)
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List
15.3. Canadian Regulations
Water (7732-18-5)
Listed on the Canadian DSL (Domestic Substances List)
Alcohols, C12-14, ethoxylated (68439-50-9)
Listed on the Canadian DSL (Domestic Substances List)
Polyoxyethylene sorbitan monolaurate (9005-64-5)
Listed on the Canadian DSL (Domestic Substances List)
Didecyldimethylammonium chloride (7173-51-5)
Listed on the Canadian DSL (Domestic Substances List)
Quaternary ammonium compounds, alkylbenzyltrimethyl, chlorides (8001-54-5)
Listed on the Canadian DSL (Domestic Substances List)
1,2,3-Propanetriol (56-81-5)
Listed on the Canadian DSL (Domestic Substances List)
Lanolin, ethoxylated (61790-81-6)
Listed on the Canadian DSL (Domestic Substances List)
Triethanolamine (102-71-6)
Listed on the Canadian DSL (Domestic Substances List)
Sodium lauryl sulfate (151-21-3)
Listed on the Canadian DSL (Domestic Substances List)
2-Phenoxyethanol (122-99-6)
Listed on the Canadian DSL (Domestic Substances List)
Aloe vera, extract (85507-69-3)
Listed on the Canadian DSL (Domestic Substances List)
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-, acetate (7695-91-2)
Listed on the Canadian DSL (Domestic Substances List)
Disodium EDTA (139-33-3)
Listed on the Canadian DSL (Domestic Substances List)

GREAT STUFF HEAVY DUTY BAMBOO WORK WIPES

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 01/17/2022

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Sol. 2	Flammable solids Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)